

Transdermal Gel Instructions

Your veterinarian has prescribed your pet's medication as a transdermal gel. This form allows the medicine to be absorbed into the bloodstream through the skin of your pet's ear.



1. Wear gloves when applying the transdermal gel.
The medication can also absorb into human skin.
2. Push the prescribed amount of medication out of the applicator and onto your fingers.
3. Rub the medication into the front of your pet's ear. Apply where there is the least amount of fur. You may apply to one or both ears as instructed.
If using just one ear, alternate which ear you use with each dosing.
4. Rub the gel in well.
5. Remove gloves and wash your hands.

There are _____ doses per syringe.

Store the gel at room temperature.

Tips and Tricks:

Although the gel can be applied to any skin, with little or no hair, the ear is the best area to keep the pet from licking the medication.

There may or may not be a thin film of powder left on the skin after the gel dries. This depends on the medication that is prescribed. If there is a thin film, it may be wiped off with a wet paper towel or washcloth before the next application.

If wearing gloves scares your pet, try using finger cots.

Place the medication on your finger (wearing glove or finger cot) in another room before approaching your pet. This will make the process less stressful.

Try to regularly rub your pet's ears to get them comfortable with their ears being touched.

If you have any questions, please contact our pharmacist to assist you.